



Anleitung Filtereinsatz

**Beachten Sie diese
Anleitung bei der
Wartung Ihres
EVOdescale oder
EVOadsorb**



Evodrop AG
Birkenstrasse 21
8306 Brüttsellen
Schweiz

+41 44 888 50 05
info@evodrop.com

Gehäuseversion 1

EVOdescale

① Filter mit der flachen Seite in Richtung Deckel einsetzen.

② Die spitze Seite in Richtung Ein- und Ausgang einsetzen.



Gehäuseversion 1

EVOadsorb

① Filter mit der flachen Seite in Richtung Deckel einsetzen.

② Die spitze Seite in Richtung Ein- und Ausgang einsetzen.




Gehäuseversion 2

EVOdescale

① Die spitze Seite in Richtung Deckel einsetzen.

② Filter mit der flachen Seite in Richtung Boden einsetzen.





Gehäuseversion 2

EVOadsorb

① Die offene Seite in Richtung Deckel einsetzen.

② Die geschlossene Seite in Richtung Boden einsetzen.



The logo features a stylized plant icon composed of three blue, rounded shapes. The top shape is a light blue gradient, while the two bottom shapes are a solid, vibrant blue. The text 'EVOCCROP' is positioned to the right of the icon, rendered in a bold, sans-serif typeface. The letters 'E', 'V', 'O', 'C', and 'R' are dark blue, while 'O', 'C', and 'R' are a lighter blue, matching the top part of the plant icon.

EVOCCROP